



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/716,008	11/18/2003	Lakshman Ramakrishnan	15030US02	4199
23446 7590 07/14/2008 MCANDREWS HELD & MALLOY, LTD 500 WEST MADISON STREET SUITE 3400 CHICAGO, IL 60661				
EXAMINER				
SENFL BEHROOZ M				
ART UNIT		PAPER NUMBER		
2621				
MAIL DATE		DELIVERY MODE		
07/14/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/716,008

Applicant(s)

RAMAKRISHNAN ET AL.

Examiner

BEHROOZ SENFI

Art Unit

2621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 March 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1, 3, 5, 7 and 9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 3, 5, 7 and 9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-8508)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 3, 5 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshioka et al. (US 7,079,583) in view of Uchida (US 5,461,486).

Regarding claim 1, Yoshioka '583 discloses, a method for storing macro-blocks
In a memory (i.e., fig. 3, memory 3 is used for storing macro-blocks), the method comprising;

decoding a macro-block, thereby resulting in a decoded macro-block, the decoded macro-block comprising pixels (i.e., fig. 3, decoder 1002 including routine processing 1004 used for decoding a macro-block, see col. 11, lines 21 – 44 and col. 16, lines 12 – 13); and executing an instruction, wherein the instruction causes writing the decoded macro-block to the memory (i.e., fig. 3, illustrates decoder unit 1002 including, routine processing unit 1004 execute the received instruction from processing unit 1003 to perform decode processing on macro-block and stores, e.g., writes the decoded block/macro-block to the memory unit 3, see col. 11, lines 39 – 50).

Although, Yoshioka '583 show writing macro-block composed of luminance matrix blocks (Y) and chrominance matrix blocks (Cb) and (Cr) to the memory,

Art Unit: 2621

Yoshioka '583 is silent in regards to explicit of, "writing a matrix of luminance pixels to a first portion of the memory; writing a first matrix of chrominance pixels to a second portion of the memory; writing a second matrix of chrominance pixels to a third portion of the memory; and the first portion, second portion, and third portion being contiguous".

Uchida '486 teaches the above-mentioned claimed limitations are well known in the art. In particular, Uchida '486 teaches, writing a matrix of luminance to a first portion of the memory (i.e., as shown in figs. 3 and 11, the DCT blocks of luminance matrix Y are stored in the respective memory areas assigned to, e.g., first portion of memory, see col. 7, lines 27 – 41 and lines 55 – 60); writing a first matrix of chrominance to second portion of the memory (i.e., as shown in figs. 3 and 11, the DCT blocks of the color difference R-Y, e.g., first matrix of chrominance (Cr) stored in the respective memory area assigned thereto, e.g., second portion of memory, see col. 7, lines 26 – 41 and lines 55 – 60); writing a matrix of second chrominance to a third portion of the memory (i.e., as shown in fig. 11, the DCT blocks of second chrominance matrix B-Y (Cb) written in the respective memory area assigned thereto, e.g., third portion of the memory, see col. 7, lines 27 – 41 and lines 55 – 60); and the first portion, second portion, and third portion being contiguous (i.e., as shown in fig. 11, the first portion (Y), second portion (R-Y) and third portion (B-Y) of the memory are arranged in continuous/contiguous form).

In view of the above, having the digital signal processing of Yoshioka showing writing decoded macro-block composed of luminance blocks (Y) and chrominance blocks (Cb) and (Cr) to the memory, and given the well-established teaching of Uchida

Art Unit: 2621

where the luminance matrix is written in a first portion of the memory; and first chrominance matrix to second portion of the memory and a second chrominance matrix to a third portion of the memory, where the first portion, second portion, and third portion being contiguous, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to modify the digital signal processing of Yoshioka as taught by Uchida, since Uchida suggest in col. 2, lines 57 – 58 that such a modification would improved image quality in the high speed reproduction of the recorded digital video signal.

Regarding claim 3, Yoshioka '583 teaches, a method for storing macro-blocks In a memory (i.e., fig. 3, memory 3 is used for storing macro-blocks), the method comprising;

decoding macro-blocks, thereby resulting in decoded macro-blocks, the decoded macro-blocks comprising pixels (i.e., fig. 3, decoder 1002 including routine processing 1004 used for decoding a macro-blocks, see col. 11, lines 40 – 43 and col. 16, lines 12 – 13); and executing an instruction, wherein the instruction causes writing the macro-blocks to the memory (i.e., fig. 3, describes routine processing unit 1004 execute the received instruction from processing unit 1003 to perform decode processing on macro-blocks and stores/writes the decoded macro-block to the memory unit 3, see col. 11, lines 39 – 50).

Although, Yoshioka '583 teaches decoding macro-blocks and storing, e.g., writing, the macro-blocks to the memory, Yoshioka '583 is silent in regards to explicit of "five macro-blocks, wherein writing the nmacro-block to the memory further comprises;

Art Unit: 2621

writing five matrices of luminance pixels to a first portion of the memory; writing a first five matrices of chrominance pixels to a second portion of the memory; writing a second five matrices of chrominance pixels to a third portion of memory; and the first portion, second portion, and the third portion being contiguous".

Uchida '486 teaches the above-mentioned claimed limitations are well known in the art. In particular, Uchida '486 teaches that, compression operation is applied to every five macro-blocks and writing five macro-blocks to the memory areas (i.e., col. 7, lines 26 – 41, col. 15, lines 20 – 21), and further teaches; writing five matrices of luminance pixels to a first portions of the memory (please see, col. 7, lines 26 – 41 of Uchida, indicating five macro-blocks is written in five memory areas, and further figs. 3, 5, 8 and 11 of Uchida, illustrates the order that a macro-block is written in the memory areas, matrices of luminance pixels Y is written to a first portion of the memory as shown in fig. 11, see col. 7, lines 44 – 57 of Uchida, it is cleared that each one of the five macro-blocks would be written to the memory in the same order as shown in fig. 11 for each macro-block, e.g., five luminance matrices Y would be written to the first five portion of the memory); writing a first five matrices of chrominance pixels to a second five portions of the memory (please see, col. 7, lines 26 – 41 of Uchida, indicating five macro-blocks is written in five memory areas, and further fig. 11 of Uchida, illustrates the order that a macro-block is written in the memory areas, matrices of chrominance R-Y (Cr) is written to the second portion of the memory as shown in fig. 11, see col. 7, lines 26 – 57 of Uchida, it is cleared that each one of the five macro-blocks would be written to the memory in the same order as shown in fig. 11 for each macro-block, e.g.,

Art Unit: 2621

five chrominance matrix R-Y (Cr) would be written to a second five portions of the memory); writing a second five matrices of chrominance to a third portion of the memory (please see, col. 7, lines 26 – 41 of Uchida, indicating five macro-blocks is written in five memory areas, and further fig. 11 of Uchida, illustrates the order that a macro-block is written in the memory areas, matrices of chrominance B-Y (Cb) is written to a third portion of the memory as shown in figs. 3 and 11, see col. 7, lines 44 – 57 of Uchida, it is cleared that each one of the five macro-blocks would be written to the memory in the same order as shown in fig. 11 for each macro-block, e.g., five matrices of chrominance B-Y (Cb) would be written to a third portion of the memory); and the first five portions, second five portions, and third five portions being contiguous (i.e., fig. 11 of Uchida, illustrates the order that the luminance matrices Y and Chrominance matrix (Cr) and (Cb) for each macro-block is written to the first, second and third portions of the memory in a continuous/contiguous manner, it is cleared that each one of the five macro-blocks would be written to the memory in the same order and in a continuous/contiguous manner as shown in fig. 11 of Uchida).

In view of the above, having the digital signal processing of Yoshioka showing compression operation is applied to macro-blocks and writing/storing decoded macro-blocks to the memory, and given the well-established teaching of Uchida where the compression operation is applied to every five macro-blocks and writing five macro-blocks to the memory areas, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to modify the digital signal processing of Yoshioka as taught by Uchida, since Uchida suggest in col. 2, lines 57 – 58 that such a

modification would improved image quality in the high speed reproduction of the digital video signal.

Regarding claim 5, the limitations claimed are substantially similar to claim 1 above, and is the circuit of the method of claim 1 for string macro-blocks in a memory, therefore the ground for rejecting the method of claim 1 also applies to the circuit claim; and as for the additional limitation, a computer readable medium storing an executable instruction (i.e., figs. 3 - 4, it is cleared that the software/instruction is necessitated by the processing units as shown in figs. 3 - 4 in order to carry on the process; such as, decoding macro-blocks, see col. 3, lines 51 – 67 and col. 11, lines 39 - 50), wherein the instruction causes, writing the macro-block to the memory (i.e., as shown in fig. 3, the decoded block/macro-block is written/stored to the memory unit 3, see col. 11, lines 39 – 50).

Regarding claim 7, the limitations claimed are substantially similar to claim 3 above, and is the circuit of the method of claim 3 for string macro-blocks in a memory, therefore the ground for rejecting the method of claim 3 also applies to the circuit claim; and as for the additional limitation, a computer readable medium storing an executable instruction (i.e., figs. 3 - 4, it is cleared that the software/instruction is necessitated by the processing units as shown in figs. 3 - 4 in order to carry on the process; such as, decoding macro-blocks, see col. 3, lines 51 – 67 and col. 11, lines 39 - 50), wherein the instruction causes, writing the macro-block to the memory (i.e., as shown in fig. 3, the decoded block/macro-block is written/stored to the memory unit 3, see col. 11, lines 39 – 50).

Art Unit: 2621

3. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshioka et al. (US 7,079,583) in view of Uchida (US 5,461,486) further in view of Brooks Jr. et al. (US 4,575,814).

Regarding claim 9, the combination of Yoshioka and Uchida is silent in regards to explicit of, wherein the second portion and the third portion form portions of a plurality of data words.

Brooks (i.e., fig. 1, abstract, col. 1, lines 15-25, col. 4, lines 7-40 and col. 5, lines 56-67) teaches plurality of memory sections being independently controlled to store blocks of data words, thus is consider as second portion and the third portion form portions of a plurality of data words.

In view of the above, having the digital signal processing of Yoshioka showing compression operation is applied to macro-blocks and writing/storing decoded macro-blocks to the memory, and given the well-established teaching of Brooks using a programmable digital memory for overall improvements of the digital processing system, as suggested by Brooks (i.e., col. 3, lines 1 – 5).

Response to Arguments

4. Applicant's arguments filed 2/28/2008 have been fully considered but they are not persuasive.

Response to remarks:

Applicant asserts (remarks; page 6, last paragraph) that neither reference teaches "writing a matrix of luminance pixels to a first portion of the memory, and similarly writing a first matrix of chrominance pixels to a second portion of the memory

Art Unit: 2621

and writing a second matrix of chrominance pixels to a third portion of memory, and the first portion, second portion, and the third portion being contiguous".

In Response: Examiner respectfully disagrees;

Yoshioka '583 shows writing/storing decoded video data composed of matrix of luminance pixels and matrix of chrominance pixels in the memory unit 3 (please see, figs. 3 and 5, col. 11, lines 39 – 50 and col. 14, lines 30 - 32 of Yoshioka) and also indicates storing of the compressed video data in the memory 3 (please see, col. 13, lines 16 – 20 and col. 20, lines 55 – 57 of Yoshioka). Yoshioka '583 fails to show the arrangement of writing/storing decoded video data composed of matrix of luminance pixels and matrix of chrominance pixels in the memory, as specifies in the claim.

Uchida '486 relied by the examiner just to show the arrangement of the memory, as specified in the claim for storing/writing luminance matrix and chrominance matrix (please see; fig. 11, col. 7, lines 40 – 41 and 55 - 60). Therefore, it is reasonable to use the memory arrangement as suggested by the secondary reference to modify the memory unit as disclosed by the primary reference, in order to minimize overflowing of the memory area, as suggested by the Uchida (i.e., col. 7, lines 61 – col. 8, lines 3).

Conclusion

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Behrooz Senfi whose telephone number is 571-272-7339. The examiner can normally be reached on M-F 7:00-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application No. 10/716,008
Art Unit: 2621

Page 11

/Behrooz Senfi/
Examiner
Art Unit 2621

/Tung Vo/

Primary Examiner, Art Unit 2621